

Index specierum.

Insecta.

a) Hymenoptera.

- Abia** sericea 121. **Acoelius** subfasciatus 100. **Ademon** decreceris 101. **Agathis** malvacearum 100, nigra 100, rufipalpis 100, brevisata 100, tibialis 101. **Agenia** carbonaria 123. **Allantus** annulatus 122, costatus 122, Rossii 122, flavipes 122. **Alysia** manducator 102. **Amblyteles** camelinus 122, Gravenhorsti 122, vadatorius 122. **Ammobates** oraniensis 111. **Ammophila** subulosa 123, Mocsáryi 123. **Andrena** morio 124, pilipes 124, thoracica 124, albicans 124, tibialis 124, nigroaenea 124, taraxaci 124, varians 124, parvula 124, sericata 124 ventralis 124, fulvicrus 125, combinata 125, liburnica 125. **Anthidium** manicatum 125. **Anthophora** pilipes 124, intermedia 124. **Aphareta** cephalotes 102. **Aphidius** avenae 102. **Aphenogaster** subterranea 124. **Aphomia** colonella 193. **Arge** cseruleipennis 121, rosae 121. **Ascogaster** armatus 99, 4-dentatus 99, variipes 99, gonocephalus 99, Aspilota distracta 102, nervosa 102, concinna 102, praecipua 102, jaculans 101, ruficornis 102. **Athalia** glabricollis 121, spinarum 121.
- Banchus** falcator 124, pictus 122. **Bembex** rostrata 123, olivacea 123, tarsata 123, Megerlei 123. **Blastes** punctatus 111, brevicornis 111. **Biosteres** haemorrhis 102. **Blacus** ruficornis 101, compar 101, instabilis 101, maculipes 101, interstitialis 101. **Blennocampa** pusilla 121. **Bombus** agrorum 124, cognatus 124, fragrans 124.
- Calyptus** gallicus 101. **Camponotus** ligniperdus 124. **Campoplex** mixtus 122. **Campopocum** Frisei 111. **Cardiophiles** saltator 100. **Cephus** haemorrhoidalis 121, pygmaeus 121. **Ceratocolus** alatus 124, vexillatus 124. **Cerceris** arenaria 124, emarginata 123, rubida 123, luctuosa 123. **Ceropales** hystrio 123, variegata 123. **Cehtistes** lucidator 101. **Chalcis** obscura 88, flavipes 122. **Chelonus** pulchicornis 99, pannonicus 99, submuticus 99, inanitus 99, obscuratus 99, scaber 99, cavulus 99, carbonator 99, parvicornis 100, hungaricus 100, fenestratus 100, rimatus 100, contractus 100, sulcatus 100, exilis 100. **Chromylus** rufiginosus 99. **Chrysis** indigotea 123, equestris 123, inaequalis 123, Dalla Torreana 123, ignita 123. **Cilissa** tricincta 124. **Cimbex** lutea 121, femorata 121, aenarinae 193. **Cladius** difformis 121. **Clinocentrus** cunctator 99. **Coelioxys** erythropyga 125, aurolimbata 125, brevis 111. **Colastes** hariolator 93. **Colletes** cunicularius 125. **Crabro** chrysostronus 124. **Cremnops** desertor 100. **Crossocernis** vagabundus 124. **Cynips** Kollari 122.
- Dasypoda** hirtipes 124. **Dendrosoter** protuberans 98. **Diospilus** oleraceus 101. **Disophrys** incubator 100. **Dolerus** anticus 122, gonager 122, niger 122, haematodes 122. **Doryctes** lencogaster 98.
- Earinus** nitidulus 100. **Ectemnius** dives 124, rubicola 124. **Elis** sexmaculata 123, 5-cincta 123. **Elampus** viridiventris 122, pusillus 122, coeruleus 122, spina 122. **Enchyrtus** cinctus 122, didymus 122. **Epeolus** tristis 125. **Ephedrus** plagiator 102. **Eubadizon** pallidipes 101, macrocephalum 101. **Eucera** clypeata 124, longicornis 124, pannonica 124, nitidiventris 124. **Eumenes** pomiformis 124, coarctata 124. **Euphorus** pallidipes v. orchesiae 101, apicalis 101.

- Formica pratensis 124, rufa 12.
- Gasteruption Thomsoni 122, affectator 122. Gonatopus formicarius 122.
- Halictus strigatus 125, patellatus 125, scabiosae 125, xanthopus 125, fulvinctus 125, 4-cinctus 125, maculatus 125, albipes 125, tumulorum 125, abdominalis 125. Hedychrum luculentum 123, roseum 123. Helcon augnator 101. Heliades truncorum 125. Holopyga fervida 122, chrysonota 123, similis 123, amoena 123. Hoplisus nigrifacies 123, laticinctus 123, 5-fasciatus 123, 5-cinctus 123. Hormius moliniatus 99. Hygroplitis rugulosus 100. Hylotoma rosarum 127.
- Ichneumon bucculentus 122, chionomus 122, sexalbatns 122, 4-albatus 122, sarcitorius 122. Inneutes brevis 101. Iphiaulax impostor 98.
- Larra anathema 123. Lasius niger 12, 124, ahenus 11, brunneus 11, flavus 12, umbrosus 12. Leucaspis assimilis 122. Lithurgus cornutus 125. Lyda nemoralis 121.
- Macrophya portica 122, rufipes 122, punctum-album 122. Macropis labiata 124. Macrocentrus marginator v. nidulator 101, collaris 101, hungaricus 101. Megachile argentata 125, apicalis 125. Melecta luctuosa 125. Melitta dimidiata 111. Meteorus chrysoththalmus 101, oculatus 101, albicornis 101, adominator 101, punctiventris 101, pulchricornis 101, brunneipes 101, cinctellus 101. Microctonus elegans 101, Klugii 101. Microdus tumidulus 100. Microgaster abdominalis 100, subcompletus 100, nobilis v. hungaricus 100, tibialis 100, globatus 100, deprimator 100. Microplitis xanthopus 100, varipes 100, tristis 100, strenna 100, mediator 100, tuberculifer 100, adunca 100. Mimesa unicolor 122. Monophadnus albus 121. Muilla brutia 123, distincta 123, rufipes 123. Myrmica sulcinodis 124, rugulosa 124, laevinodis 11. Mysine cylindrica 123.
- Nomada lineola 125, fucata 125, jacobaeae 125, trispinosa 125, ruficornis 125 femoralis 125, flavoguttata 125, distinguenda 125, ferruginata 125. Nomia ruficornis 125.
- Olynerus dantici 124, parietum 124, melanocephalus 124, renimacula 124, minutus 124, laevipes 124, callosus 124, parvulus 124, v. orbitalis 124, Herrichi 124, nugdunesia 124, ophippium 124, aurantiacus 124. Oecophylla smaragdina 98. Oecophanes lancolator 98. Opus pygmaeator 101, apiculator 101, flavipes 101, pulchripes 102, pallidipes 102, maculipes 102 cingulatus 102, irregularis 102. Obolus testaceus 122. Orgilus olscurator 100, hungaricus 100, rugosus 100, parculator 100. Orthostigma pumila 102. Omia cornuta 125, bicornis 125, bidentata 125, melanogastra 125, fulviventris 125, leucomelana 155, fasciatellus 111. Oxybelus 14-odontatus 124.
- Pachylomma buccata 102. Pachynematus pallicarpus 121. Palarus flavipes 123. Panurgus lobatus 124. Pelopoeus destillatorius 129. Perilitus melanopus 101, rutilus 101, bicolor 101, terminator 101. Phanerotoma dentata 99. Phaeocarpa ruficeps 102. Phanomeris dimidiata 98. Pniarus abdominalis 111. Philanthus triangulum 123, venustus 123. Plagiolepis pygmaea 124. Pimpla insirigator 122, examinador 122, turionellae 122, melanocephala 122. Podaltrius magnilabris 111. Pogonius hyalinatus 123, hircanus 123. Poistes gallica 195. Polyergus rufescens 124. Polydemon sinuatus 99, marshalli 99. Poneria contracta 11. Pompilus viaticus 123 4-punctatus 133. Praon abjectum 102, longicorne 102, voluere 102. Priocnemis saepioides 123, variegatus 123, versicolor 123, parvulus 123. Pristocera depressa 123. Prosopis meridionalis 125. Psammophila viatica 123. Pseudovipio inscriptor 98, castrator 98, umbraculator 98. Pteronus miliaris 121, hortensis 121, mysoditis 121.
- Rhogas rugulosus 98, cruentus 99, bicolor 99, dissector 99, reticulator 99, tertaceus 99, dimidiatus 99, pallidicornis 99, gasterator 99, miniatus 99, fortipes 99, circumscriptus 99, pallidipennis 99. Rhogogastera viridis 122. Rhophites 5-spinosus 124.
- Sapyga 5-punctata 123. Sciopteryx costalis 122. Scolia hirta 123, insubrica 123, 4-punctata 123. Sigalphus obscurus 99, rufipes 99, floricola 99, obscu

VIII

rellus 99. *Sirex gigas* 121. *Spethius rubidus* 94, *exarator* 98. *erythrocephalus* 93. *Sphécodes fuscipennis* 125, *gibbus* 125, *subquadratus* 125, *rufescens* 125. *Sphex maxillosus* 123, *subfuscatus* 123. *Stelis phaeoptera* 125. *Stizus tridentatus* 123. *Symmorphus crassicornis* 124. *Systropha curvicornis* 124.

Tachysphex pectinipes 123. *Taxonus agrorum* 122. *Temostethus ephippium* 121. *Termes bellicosus* 195. *Tetralonia dentata* 124, *basalis* 125, *malvae* 124, *armenaca* 111. *Tetramorium caespitum* 11. *Tiphia morio* 123, *femorata* 123, *minuta* 123, *semipolita* 123. *Tropus lutoris* 122. *Tryoxis auctus* 102, *brevicornis* 102.

Vespa rufa 193. *Vipis desertor* 98, *intermedius* 98, *curticaudis* 98, *terrefactor* 98, *appellator* 98.

Xenos vesparum 193. *Xyphidria dromedaria* 121.

Zele testaceator 101, *calcarator* 101.

b) Lepidoptera.

Abraxas grossulariata 14, 15 *adustata* 47. *Acherontia Atropos* 47, 155, 183. *Achroea grisella* 112, *Conwavana* 112, *Geraingana* 112. *Acidalia ochrata* 47, *moniliata* 47, *obsoletaria* 47, *rusticata* v. *vulpinaria* 47, *dimidiata* 184 *strigaria* 184. *Acontia luteoalba* 47. *Aglia tau* 192 a. *nigrrima* 75. *Aglossa cuprealis* 47. *Agroponia trabealis* 47, 184. *Agrotis segetum* 129, 152, *recessa* 150, *ypsilone* 183, *pronuba* 183, *c-nigrum* 183, *nigricans* 183. *Alucita Hübnéri* 113. *Amphipyra pyramidea* 47, *tragopogonis* 201. *Amphydasis betularius* 15, ab. *doubledayaria* 15, 93. *Anarsia lineatella* 16. *Anthocharis cardamines* 177. *Apamea testacea* 183. *Apatura Iris* 7, *Ilia* 7, v. *Clytie* 7, 183. *Aporia crataegi* 14, 17, 46. *Arctia maculosa* 149, *casta* 149, *caja* 183. *Argynnis Aglaja* 207, *Daphne* 15, 37. *Latonia* 15, 41, 207. *Paphia* 15 43, 207. a. *Backei* 83. a. *Anargyra* 74, *Selene* 37, *Dia* 37, *Euphrosyne* 206, *Hecate* 37, *Pandora* 37. *Argyresthia mendica* 113, *conjugella* 176. *Asopia regalis* 47, *costalis* 47, *farnalis* 184, *Asphalia diluta* 192, *ridens* 201. *Aspilates mundatana* 74.

Blabophanes ferugineella 112. *Boarmia selenaria* 47, *roboraria* 184. *Bombyx castrensis* 13, *trifolii* 190, *rubi* 190, *mori* 193, 201. *Botys aurata* 47, *purpuralis* v. *ostrinalis* 47, *sanguinalis* 47, v. *auroralis* 112, *castalis* 47, *nubilus* 47, *ferrugalis* 47, *falcatalis* 112, *ruralis* 184. *Brephos puella* 184. *Brotolomia meticulosa* 200. *Bryophila muralis* 47, *rapricula* 183. *Bryotropha terrella* 113. *Bucculatrix crataegi* 113. *Eutalis punctivittella* 47.

Carpocapsa pomonella 21. *Carterocephalus Palaemon* 54. *Cataclysta lemana* 1-4. *Catocala diversa* 47. *Cerostoma chazariella* 112. *Cidaria riguata* 47, *dilutaria* 112, *fluctuata* a. *neapolisata* 74, *minorata* 111, *holosericata* 112, *immanata* 112, *punctata* 112, *fluviata* 184, *comitata* 184. *Cleodoristatella* 113. *Chidia geographica* 183. *Cochliotheca crenulella* 47. *Cochylis mussehlana* 112, *dubitana* 112, *manniana* 102, *ambiguella* 89, 117, 175, *palidana* 112, *posterana* 112, *tesserana* 184. *Cononympha Pamphilus* 46 v. *Lyllus* 46, ab. *eburnea* 13, *Oedipus* 54, 196. *Iphis* 54. *Coleophora alcyonipennella* 113, *niveicostella* 113, *Thermella* 113, *caespititella* 113. *Colias Chrysotheme* 5, *Hyale* 46, 178, *Myrmidone* 5, *Elusa* 21. *Cossus cossus* 172, 184. *Crambus saxonellus* 47, *orientellus* 111, *hortuellus* 111, 184, *luteellus* 184, *chrysonuchellus* 184. *Crateronyx taraxaci* 190, *dumi* 191. *Cucullia tanaceti* 200, *fraudatrix* 198. *Cyclopides morpheus* 54.

Dasychira pudibunda 173. *Deilephila nerii* 47, *euphorbiae* 183, a. *paralias* 75. *Depressaria purpurea* 113. *Dianthoecia luteago* v. *argillacea* 76. *Doryphora lucidella* 112.

Eilicrinia cordiaria 184. *Elachista rufocinerea* 113. *Endagria ulula* 47. *Endrosis lacteella* 113. *Ennychia albotascialis* 184. *Erichnopteryx undulella* 173 ab. *Paveli* 14, *pulla* v. *Heringii* 14, *plumelia* 112. *Epinephele Janira* 53, ab. *semialba* 14, 208, *Fithonus* 43, 53, *Lycaon* 53, 203, v. *lupinus* 97, *hyperanthus*, 55. *Epione apicaria* 184. *Erastria obliterata* 113, *pusilla* 134. *Erebia meias* 51, 96, *Medusa* 52, 207, v. *Procopiani* 75, *Aethiops* 52, 207, *Ligea* 52, 208.

- Adyte 111. Euryale 12, 208, Evias 74, Iappona 111, Goante 96, Gorge 96, Eromene bella 112. Euolia murinaria 184. Eugonia fuscantaria 74. Eupithecia gratosata 75, oblongata 184, pumilata v. tempestivata 93, subnotata 184. Eurycreon sticticalis 184.
- Glyphipteryx Forsterella 113. Gnophos obfuscaria 111. Grammodes algira 47, Grapholitha aemulana 112, decolorana 112, tetragrammana 112, suffusana 112, Penkleriana 112, gundiana 184.
- Hadenia bicoloria v. rufuncala 74, strigilis 183. Heliothis cora 75, dipsacea 47, 184, cognatus 184, scutosus 184. Hepialus carna 111, Herminia crinalis 47, Hesperia Actaeon 4, thumae 4. Holoscolia forcicella 113. Homoeosoma sinuella 47, nebulella 112. Hybernia defoliaria 127. Hydrocampa stagnata 184. Hypatiana inunctella 114. Hypena antiqualis 47. Hypenomea padellus 47. Hypopta caestram 47.
- Incurvaria Oehlmanniella 113. Inostatices v. mami 76, chloros 183.
- Laelia coenosa 190. Lasiocampa pruni 185, 191, populifolia 183, quercifolia 183, potatoria 191. Leucarnia l. album 183. Leucanitis stolidia 47. Leucocma salicis 183. Libythea celtis 6. Lignyoptera fumidaria 106. Limenitis populi 7, Camilla 7, Sibylla 7, 179. Lithostegia griseata 184. ab. Abafii 14, farinata 184. Lophopteryx camelina a. giraffina 75. Lycaena Amanda 6, Meleager 6, Jolas 6, Arion 6, v. obscura 6, 76, 179, a. unicolor 179. Coridon 46 v. confluens 75. v. caucasica 76. Hylas 46. Baton v. Panoptes 75. Donzelii 96. v. Hyacinthus 74. Bellagus 46, v. punctigera 75, Alcon 179. a. alconides 179. Zephyrus 74, Admetus v. Riperti 96, minima 179, Argiades 179, v. coretas 179. Lythria purpuraria 184.
- Macaria alternaria 184. Macroglossa stellarum 47, 155, bombyliiformis 183. Mamestra brassicae 183, oleracea 183. Melanargia Galathea et v. r. 38, 46, v. Suwarovius 38. Melitaea Phoebe 15, 37, 205, a. melanina 96, matuna, 37, cinxia 37, trivialis 37, 205, v. fascialis 37, v. nana 37, 205, didyma 15, 37, 205, v. occidentalis 37, 54, 205, v. meridionalis 37, v. alpina 37, perseae, 46, dictynna 37. Athalia 37, 206, Aurelia 37, 206. Myelois cribrum 184.
- Naclia punctata a. servula 97. Nemeophila russula a. pallida 97. Nemophora metaxella 113. Nephoria viridata 184. Nemotois Dumeiiliellus 113. Nephopteryx spissicella 47, similella 112. Neptis Lucilla 7, aceris 7, 119. Neuronina cespitis 151. Nisoniades Tages 46, 54. Nola centonalis 112, v. atomosa 76. Nomophila noctuella 47. Notodonta tritophus 192. Nyctegretis achatinella 184.
- Oecneria dispar 21, 47, 127, 150, rubea 190. Oecophora unitella 113, minutella 113. Orectis proboscidata 47. Orgyia gonostigma 183. Ornix anglicella 113. Orthesia pistacina a. rubetra 74. Oxytrypia orbiculosa 17.
- Papilio Podalirius 46, 177. v. Zancaeus 5, 15, v. decemlineatus 95, v. undecemlineatus 95, Machaon 43, 183, a. immaculatus 74, a. Drusus 95, a. rubromaculatus 95. Paranthrene tineiformis 183. Parage Maera 52, v. Lysa 46, Egeria forma intermedia 75, Roxelana 52, Clymene 53, Hieria 54, Achine 52, Megaera v. Tigelius 75 a. mediolugens 97. Parnassia Muehrosyne 5, a. melaina 75, 96, Apollo 177. Penpelia semirubeilla 47, 184, cingulella 112, adornatella 184, hostilis 12. Penthina antiquana 112, Schulziana 111, Sauciana 112, oblongana 112, abutella 112, cypreolana 112. Penthophora morio 8, 173, 183. Phoxopteryx biarcuana 112, compacta 112. Phragmatocia castanea 173, 183. Pieris Daphidice 148, brassicae 153, napi v. flavescens 5, 96, v. bryoniae 5, v. intermedia 74, rapae 46, Callidice 74. Plusia ni 113, Plutella cruciferarum 47. Polyommatus virgaureae 6, 178, phlaeas 46, Thersamon 6. Amphidamas 154, dispar v. Rutilus 6, 13, 118, Alciphron 6. Porthesia similis 183. Prita is punctella 47. Pseudophia illunaris 74. Psodis trepidaria 111, coracina 111. Psyche Graslina 74, villosellae 183. Pterostoma palpina 201. Pygarrus anachoreta 183. Pyrausta cespitalis 184.
- Recurvaria leucata 113. Rhinosia formosella 113.
- Saturnia pyri 16, 47, 183. a. Abafii 125, spini 191, pavonia 191. Satyrus Dyras 208, Hermione 45, 52, Circe 46, 52, Briseis 46, 52, Semele 46, 52, a. Aristaeus 75, Alcione 52, Arethusa 52, a. peszérens 13, statilinus 52. Schoe-

nobius gigantellus 134, forcicellus 184. Sciaipteron tabaniforme 193, v rhiingiaeforme 76. Scirpophaga pra lata 1 4. Scoliopteryx libatrix 47, 183 Scoparia ingrattella 47, murana 111, valesialis 111, truncicollata 112. Sesia ichneumoniformis 183, muscaefomis 183, tipuliformis 199. Setina Kuhlweini 75. Simaethis memoraria 47. Simplicia rectalis 112. Smerinthus ocellata 183. Sphinx convolvuli 183. Spilosoma fuliginosa 183, 202. lu-ricipeda 183, menthastri 183 urticae 183. Spilothyrus alcaeae 46. lavatherae 54. Spintherops spectrum 93. Steganoptycha oppressana 112. binotana 112. minutana 112. Syrichthus carthami 46, 54, Alveus 46, 54. v. onopordi 97, orbifer 54.

Talis quercella 84 Tapinostola extrema 75. Teleia vulgella 113. fugitivella 113. Tephronia sepiaria 112. Thais Polyxena 5, 132, ab. rufescens 14. Thalpochares viridula 47, purpurina 184, parva 184. Thecla betulae 5, ab spinosae 178, ilicis v. aesculi 74, a. cerri 178, spini 5, w-album 5, acaciae 5, rubi 5, quercus 5, v. bellus 5. Thytira batris 2 0 Tinea fuscipunctella 112, pelliorella 112. Topeutis barbella 113. Tortrix Bergmanniana 128, Podana 184, Pilleriana 184, strigana 184. Trachea atriplicis 183. Trochilium apiforme 183.

Vmessia Levana 36, 179, v. prorsa 36, 180, a. porima 180, polychloros 36, 46, 153, 183, xanthomelas 36, 148, 180. L-album 36, cardui 42, 180, Atalanta 42, 46, Egea 46, urticae 111, 183, Antiopa 149, Jo v. exoculata 180, c-album 183.

Zanclognatha tenuialis 176. Zeugera pyrina 47, 173, 183, 214. Zygaena lavaludae 97, transalpina 97, Ephialtes coronillae 15. Laeta 149, carniolica 14, 183, v. Hoiváthi 103, v. Vellayi 103, achillae 183, filipendulae 183.

c) Diptera.

Aciura femoralis 137, Anacampta urtica 137, Asilus rusticus 137, crabroniformis 137. A-syntona Doleschalli 197.

Baccha elongata 137. Bibio marci 138. hortulanus 138. Bombylius punctatus 137, major 137, venosus 137.

Carphotricha guttularis 138. Cecidomyia destructor 144. Ceria conopsoides 137, Ceroxys omisa 137. Chrysops perspicularis 136, rufipes 136, marginatus 137. Chrysotoxum intermedium 137, festivum 137. Cleitania similis 197, Röderi 197. Gestroi 197.

Dasyopogon diadema 137. Desmometopa minutissima 197. Dioctria rufipes 17. longicornis 137, Reinhardti 137, lateralis 137.

Echiomyia fera 137, Eristalis tenax 137, nemorum 137, arbustorum 137, aeneus 137. Eurya pubescens 138.

Glossigona bicolor 137. Gonia capitata 137, Gymnosoma rotundatum 137.

Helophilus trivittatus 137. Hippobosca equina 138.

Leptogaster cylindricus 137, Linnia catenata 137, unguicornis 137. Lomatia Sabaea 137.

Melanostoma mellina 137, Melithreptus dispar 137, menthastri 137, Merodon avidus 137, armipes 137. Micropeza corrigiolata 138. Mintho praecipis 137, Myopa testacea 137.

Nemotelus uliginosus 136.

Odontomyia viridula 136. Occemyia atra 137. Ommatius minor 197. Ortalis formosa 137. Otites lamed 137. Oxyphora miharia 138.

Paragus 4-fasciatus 137, bicolor 137. Platycheirus fulviventris 137. Phasia analis 137, rostrata 137. Physocephala vittata 137. Pipizella virens 137. Platycephala umbraculata 138, planifrons 138. Ploas virescens 137. Pro-sena sybarita 137.

Sarcophaga carnaria 137. Sargus nubeculosus 136. Scenopinus glabrifrons 137, domesticus 137. Birói 197. Sepedon spegeus 137. Stenopteryx hirundinis 138 Stichopogon elegantulus 137, barbistrellus 137. Stratiomyia longicornis 136. Syritta pipiens 137. Syrphus seleniticus 137, balteatus 137.

Tabanus bromius 136. Tephritis flavipennis 138, stellata 138. Thereva annulata 137, plebeja 137, laeticornis 137.

Urophora solstitialis 137, stylata 137, cardui 133, 4-fasciata 137, eriolepidis 138. Volucella zonaria 137.

Zodion cinereum 137.

d) Coleoptera.

- Acritus minutus* v. *tataricus* 41. *Adoxus obscurus* 198. v. *villosulus* 198, v. *epilobii* 98, v. *Weisei* 198. *Agaricophagus Reitteri* 40. 210. *Agathidium Bristouti* 40. 210. *Agrilus fuscosericatus* 210. *Amauenyx Macieki* 11. *Araspis Ganglbaueri* 58, 87, 211, *subtilis* 58. 87, *Kieserweileri* 59. 87. *Anisostica stigata* 182. 212. *Anobium hirtum* 211. *Anthobium torquatum* 214. *Astagobius angustatus* 40. 210. *Astilbus canaliculatus* 219. *Atheta Skalitzkyi* 57, 210. *Spaethi* 57. 209, *paradoxa* 209, *marina* 209, *bosnica* 209. *Atomaria Herminae* 182, 210, *affinis* 182, 210, *acutifrons* 182, 210, *soror* 182, 210. *Attagenus pello* 10-punctatus 150.
- Barypeithes virguncula* 60, *Chevolati* 60, *stryriacus* 60, *scydmaenoides* 60, *araneiformis* 60. *armiger* 211. *Batrissus formicarius* 11, *venustus* 11. 12, *Delaportei* 11, 12, *adnexus* 11, 12, *oculatus* 11, *exsculptus* 11. *Ormayi* 12. *Batyscia Pávelli* 41. *Bembidion viridimicans* 209.
- Calandra granaria* 61. *Calops Watsoni* v. *amoenus* 40. 210. *Calosoma sycophanta* 88. *Cantharis fusca* 58. *Carabus pseudonothus* 56. *Creutzeri* 56. *cancellatus emarginatus* v. *Sequensi* 56, 201, v. *trentinus* 56. *variolosus* v. *costulifer* 56. *cancellatus* 57, v. *ater* 57, v. *oxycancellatus* 57, v. *nigripennis* 57, v. *pseudocancellatus* 57, *Ullrichi* v. *Jaroslavi* 57. *Cephennium banaticum* 40, 210, *delicatum* 41, *carpathicum* 40. *Cerallus rubidus* 58. *Cetonia aurata* v. *bilucida* 210. *Ceuthorrhynchus gibbicollis* 60, v. *dilatatus* 61, *innumeralis* 60. 61, *rhenanus* 60. 61, 211, *campestris* 60, *variegatus* 60, *edentulus* 60, *validirostris* 60, *Speiseri* 60, *trimaclatus* v. *hybridus* 61, 210, *plumt bellus* 61, 211, *lipitanus* 61, 211, *Sequensi* 211, *Pandellei* 61. *Choleva nivalis* 40. 210, *Chrysom la lichenis* 61, v. *moravica* 61, v. 212, *rhypaea* 61, 212, *carpathica* 61, *Schneideri* 61. *Cicindela campestris* v. *rubens* 209, *soluta* v. *violacea* 209. *Claviger longicornis* 11. 12. *testaceus* 11. 12, *nitidus* 11. *Coccinella repanda* 88. *Coccinellidae* 118. *Coralia Baudii* 58. 87, *Coprophilus striatulus* 214. *Cornucaria Pietschi* 182. 210. *Coryphoides Deubeli* 57. 210. *Cryptocephalus villosulus* 11, *Schäfferi* 61, *coryli* 198. *Cryptolaemus Montrouziéri* 88. *Cryptophagus baldensis* 57, *Deubeli* 57, *montanus* 57, *circassicus* 57. *Skalitzkyi* 182. 210, *Cymbiodita marginella* v. *testacea* 209. *Cyrtotriplax bipustulata* 57. v. *Ehrh.anni* 57, v. *binotata* 57. v. *dimidiata* 57, *Jakowlawi* 57, *sibirica* 57.
- Dacne pontica* 182. 210. *Dasytes Viertlii* 58, *tardus* 58, *fuscus* 58, *obscurus* 58. 87, *Oertzens* 58. 88. *Deubelia diabolica* 209. *Dinacia crassipes* 140. 164, *clavipes* 140. 164, *semicaprea* 140. 164, *dentata* 140. 164, *versicolora* 140. 165, *Malinovskyi* 141. 163, v. *arundinis* 141. 165, *sparganii* 141. 165, *aquatica* 141. 165, *brevicornis* 141. 166, *impressa* 141. 166, *limbata* 141. 166, v. *unicolor* 141. 166, *bicolora* 142. 163, *obscura* 142. 166, *antiqua* 142. 166, *thalassina* 142. 166, v. *porphyrogenita* 142. 166, *vulgaris* 142. 167, *simplex* 142. 167, v. *pulcherrima* 142. 167, 211, *tomentosus* 142. 167, *cinerea* 142. 167. *Dorcadion fulvum* v. *nigripennis* 211.
- Entomoscelis adonidis* 61. *Epiernus granalatus* 58. 87. 211. *Eपुरaea Deubeli* 58. 210. *Euconnus chrysocomus* 40, *Sturanyi* 40. 210. *Euplectus Fischeri* 12. *Eusomus ovulum* 60, *Beckeri* 61.
- Gynandropalpa tibialis* v. *moravica* 212
- Haemonia appendiculata* 139. 163. *Haplodermus Viertlii* 38, *chalconatus* 58. *Hedobia imperialis* v. *senex* 211. *Homalilus flavangulus* 58. 211. *Hydrophilus piceus* 196.
- Laemophloeus ater* 58. *Lagria atripes* v. *tenuicollis* 58. 211. *Lathridius Rybinskii* 182, 210. *Leptidea brevipennis* 175. *Leptomastax mehadiensis* 41, *hypogaeus* 41. *Leptura dubia* v. *triangulifera* 211. *Leptusa curtipennis* 210. *Liodes lucens* 40, 210. *Liosoma carpathicum* 193, v. *ruficollis* 194. *Loricaster testaceus* 41, *Viertlii*. *Luciola lusitanica* 203. *Luperus xanthopoda* 61. *Lycoperdina banatica* 182, 210.
- Meligethes fulvipes* 182, 210. *anthracinus* 182, 210, *aeneus* v. *semiaeneus* 182, 210. *sulcatus* 182, 210, *acicularis* 182. 210. *Melolontha vulgaris* 108, 203, *hippo-*

- castani 108. Mesagroicus obscurus 60. Microptilium pulchellum 41. 210
 Mordella aurofasciata 58. 87. Mordellistena Milleri 58, 87, rufifrons 58.
 59, 87, 211, Reichelii 58, 87, nana 58, 87, brevicauda v. diva 58. 87. 211.
 Mycetochara graciliformis 211. Mylacus rotundatus 59, bifoveolatus 211.
 Nargas Nikitanus 40. 210, Neuraphus rubicundus 40, 210, coronatus 40, 210,
 bulgaricus 40, 211.
 Ochina Latreillei 87. Omophlus armillatus v. Merthae 58. Orsodacne cerasi
 92, 93, 94, v. limbata 93, 94, v. lineola 93, 94, v. melanura 93, 94, v.
 Dultschmidi 93, 94, cantharoides 93, 94, v. glabrata 93, 94, v. flava 93,
 94, lineola 93, 94, v. nigricollis 94, v. marginata 94, v. numeralis 94, 95,
 v. coerulescens 92, 94, 95, v. croatica 95, 85. Osphyra bipunctata v. obs-
 curipennis 59, v. vittipennis 58. Otiorrhynchus signatipennis 59, sensitivus
 59, sabulosus 59, aurifer 59, 211, multipunctatus 59, bisulcatus 59, plumipes
 59, cribratus 59, raucus 59, perdix 59, Ludyi 59, rugosostriatus 59, scar-
 aber 59, signatipennis 59, confusus 59, illyricus 59, eusomoides 59, dui-
 nensis 59, stenostriatus 59, austriacus 59, Apfelbecki 59, infernalis 59, gem-
 matus 59, Brusinae 59, elegantulus 59, tumidipes 59, pinastri 59, pretensis
 59, pauxillus 59, glabellus 59, ovatus 59, latipennis 59, irritans 59,
 chrysomus 59, banaticus 59, pachyscelis 59, gyriticollis 59, rugirost-
 ris 59, geniculatus ab. cypellae 211, turgidus ab. vellebiticus 211, cardi-
 nigeroides 211, aratus 211, cosmopterus 211, carpathicus 211, Schusteri
 211, stenostriatus 211, orologus 211, piceus 111. Oxypoda solitaria 209,
 recondita 209, soror 29, Deubeli 209, amicta 209.
 Peltinus alutaceus 40, 210 Peritelus hirticornis 59 Phyllobius piri 59, argentatus
 59, betulae 59, fulvipilis 59, breviatus 59, 60, 211, pomonae 59, maculicornis
 59, cinerarius 60, artemisiae, pineti, craticus, Apfelbecki, Heydeni,
 ophthalmicus 60. Phyllopertha horticola v. nigropicea 58. Philonthus
 Ganglbaueri 57-210. Pissodes scabricollis 60, Plateumaris discolor 143, 167,
 sericea 143, 167, v. festucae 143, 167, v. micans 143, 167, 211, armata 143,
 167, v. nymphaeae 143, 167, braccata 143-168, consimilis 143-168, v. va-
 riabilis 144-168, affinis 144-168, rustica 144-168. Platanaspis luteorubra v.
 Kamanii 212. Platythelus Burlei v. Luzei 210. Pocadius wajdelota 182.
 Polydrosus bellus 60, marginatus 60, lateralis 60, sericeus 60, Merkli 60.
 Potosia affinis v. pyrochrous 210. Ptilinus fissicollis 87. Ptinus gracilicor-
 nis 211.
 Rhagonycha melanura 213. Rhinomias forticornis 60, pyrorrhinus 211, Viertli
 60, Rhannoncus pesicarpus 135, inconspicua 135, bruchoides 134, castor
 134, albicinctus 136, perpendicularis 136. Rhizotrogus sinuaticollis 129.
 Saprinus curtus 41, 210, puncticollis 41. Scaphosoma subalpinum 57. Scaphisoma
 setulosus 60, Scleropterus validirostris 61. Scymnus rufipes 182, 212,
 Silpha atrata 152, opaca 214, sinuata 12, rugosa 152. Sitona
 griseus v. gressorius 60, canbricus 60, humeralis 60, suturalis 60, lateralis
 60, bicolor 60. Soronia oblonga 182, 210, Spalaeodromus Pluto 40, 210.
 Stenalia brunneipes 58, 87. Stenus alpicola 210, excubitor 210, obscuripes
 210, intricatus 210.
 Tomoglossa luteicornis 210. Trachyphloeus bifoveolatus 60, aristatus 60.
 Trechus Páveli 29. Trichonyx sulcicollis 11. Trichopteryx suffocata 41.
 210. Trogophloeus anthracinus 210. Tropiphorus transsylvanicus 211.
 Vedalia cardinalis 88.
 Xantholinus Wengelmülleri 210. Xestobium plumbeum 87. Xyletinus ater 87,
 maculatus 87, 25)
 Zuphium Chevrolati 209, Herculis 209.

e) Hemiptera.

- Acanthosoma haemorrhoidale 169. Acetropis carinatus 171. Acompus rufipes
 170. Adelphocoris lineolatus 171, ticinensis 171, seticornis 171. Aelia
 acuminata 169, rostrata 169. Alydus calcaratus 169. Amblytylus nasutus
 172, testaceus 172. Anapus longicornis 171. Anthocoris Minki 171, nemo-
 ralis 171. Aphaenus quadratus 170, alboacuminatus 170, vulgaris 170. Ara-
 dus betulae 171. Arma custos 169. Arocatus melanocephalus 170. Aspi-
 diotus ostreaeformis 2.

- Bathysolen nubilus* 169. *Berytus consimilis* 169. *Beosus quadripunctatus* 170, *maritimus* 170. *Blissus Doriae* 170. *Brachycoleus scriptus* 171.
Calocoris pilicornis 171, *bipunctatus* 171. *Calyptonotus Rolandri* 170. *Campobrocnius punctulata* 171. *Camptopus lateralis* 169. *Carpocoris fuscispinus* 169, *purpureipennis* 169. *Catoplatus carthusianus* 171. *Centrocoris variegatus* 169. *Ceraleptus gracilicornis* 169. *Charagochilus Gyllenhalii* 171. *Chilacis typhae* 170. *Chlamydatus pullus* 172, *salitans* 172. *Chorosoma Schillingii* 169. *Cimex hirundinis* 150. *Conostethus salinus* 171. *Coptosoma scutellatum* 168. *Coranus contrarius* 171. *subapterus* 171. *Ctreus scabricornis* 169. *Corixa hieroglyphica* 17?, *Linei* 172, *striata* 172, *concinna* 172, *Rogenhoferi* 172. *Corizus crassicornis* 169, v. *abutilon* 169, *conspersus* 169, *parumpunctatus* 169, *tigrinus* 169. *Crypsinus angustatus* 168. *Cydnus nigrita* 169. *Cymus clavicularis* 170.
Diaspis fallax 2, *piricola* 3. *Dictyonota tricornis* 170. *Dolycoris baccarum* 169, *varicornis* 169. *Drymus sylvaticus* 170.
Emblethis verbasci 170, *griseus* 170, *denticollis* 170, *ciliatus* 170. *Eremocoris fenestratus* 170. *Eusarcocoris aeneus* 169 v. *spinicollis* 169, *inconspicuus* 169. *Eurydema festivum* 169, v. *pictum* 169, *oleaceum* 169, v. *annulatum* 169, v. *triguttatum* 169. *Eurygaster mura* 168, *nigro-cuculla* a v. *hottentotta* 168.
Geocoris albipennis 170. *Geotomus elongatus* 169. *Gerris paludum* 171, *gibbifer* 171, *odontogaster* 171, *argentatus* 171. *Gnathoconus albormarginatus* 169. *Gonocerus acutangulatus* 169. *Graphosoma lineatum* 169.
Harpactor iracundus 171. *Halticus apterus* 171. *Henestaris halophilus* 170.
Ischnodemus sabuleti 170. *Ischnorhynchus resedae* 170.
Kermes reniformis 58. 70.
Lamprodema maurum 170. *Lecanium quercus* 72. *Liocoris tripustulatus* 171. *Lygaeosoma reticulatum* 170. *Lygaeus equestris* 170. *Lygus pratensis* 171, *limbatus* 171, *lucorum* 171.
Macrotylus Herrichii 172, *Horváthi* 172. *Megalocoleus ochroleucus* 171. *Mennaccarus arenicola* 160. *Metopoplax origani* 170. *Microtoma atrata* 170. *Miris calcaratus* 171. *Monantria echii* 171, *symphyti* 171, *rotundata* 171. *Mytilaspis pomorum* 2.
Nabis lativentris 171, *ferus* 171, *rugosus* 171. *Naucoris cimicoides* 172. *Neides tipularius* 169. *Neocoris Bohemani* 172. *Neottiglossa inflexa* 160, *leporina* 169. *Nepa cinerea* 172. *Notonecta glauca* 172. *Notostira erratica* 171. *Nysius thymi* 170, *senecionis* 170, *ericae* 170.
Ochetostethus nanus 169. *Omphilonotus quadriguttatus* 171. *Orthocephalus saltator* 171, *vittipennis* 171. *Orthotylus flavosparsus* 171. *Odontoscelis fuliginosa* 168. *Oxycarenus collaris* 170.
Palomena prasina 169. *Pamera fracticollis* 170. *Pentatoma rufipes* 169. *Peribalus vernalis* 169, *sphaelatus* 169. *Peritrechus gracilicornis* 170, *nubilus* 170, *ambiguus* 170. *Phimodera galgulina* 168. *Phyllonotchella auriculata* 170, *geniculata* 171, *maculata* 171, *caucasica* 171. *Phylloxera vastatrix* 111. *Physatocheila scapularis* 171. *Phytocoris tiliae* 171. *Piesma quadrata* 170. *salsolae* 170, *maculata* 170. *Pilophorus confusus* 171. *Pionosomus opacellus* 170. *Pinthaeus sanguinipes* 169. *Pirates hybridus* 171. *Plagiognathus bipunctatus* 172, *fulvipennis* 172. *Platyplax salviae* 170. *Plea minutissima* 172. *Ploiariola culiciformis* 171. *Poeciliscytus brevicornis* 171, *vulneratus* 171, *cognatus* 171. *Prostemma guttula* 171, *sanguineum* 171. *Pterotmetus staphylinoides* 170. *Pygolampis bidentata* 171. *Pyrrhocoris apterus* 170, *margnatus* 170.
Ranatra linearis 172. *Raphigaster nebulosa* 169. *Reduvius personatus* 171. *Rhacognathus punctatus* 169. *Rhopalotomus ater* 171. *Rhyparochromus chi-rogra* 170.
Schirus bicolor 169. *Schizoneura lanigera* 19. 27. 76. 107. *Sciocoris distinctus* 169, *homalonotus* 160, *sulcatus* 163, *cursitans* 169. *Scolopostethus desoratus* 170, *affinis* 170. *Serenthia atricapilla* 170, *femoralis* v. *confusa* 170. *Solenoxyphus fuscovenosus* 171. *Spanthocera lobata* 169. *Sphragisticus nebulosus* 170. *Stenocephalus agilis* 169, *medius* 169, *albipes* 169. *Stenarus Roseri* 172. *Stygnocoris rusticus* 170, *fuliginus* 170. *Syromastes marginatus* 169. *Systellonotus triguttatus* 171.

Therapha Hyoscyami 169. Thyreocoris scarabaeoides 168. Tingis pyri 170.
 Trapezonotus agrestis 170. Trigonosoma rusticum 168. Trigonotylus rufi-
 cornis 171. Triphleps majuscula 171. Troilus luridus 169. Tropistethus
 holosericeus 170.
 Verlusia rhombea 169.
 Xylocoris ater 171.
 Zicrona coerulea 169.

f) Orthoptera et Dermaptera.

Acanthaclysis occitanica 107. Acroblytus insubricus 106. Aeschna mixta 106,
 rufescens 106. Agrion pamilo 106, elegans 106, cyathigerum 106.
 Baetis fluminum 106, venosa 106.
 Caenis grisea 106. Chloroperla grisipennis 106. Chrysopa vulgaris 107, nigro-
 costata 107, septempunctata 107. Cloe diptera 106. Conocephalus mandi-
 bularis 106. Creagriss plumbeus 107. Crocothemis erythrea 106.
 Decticus verrucivorus 107. Diplax sanguinea 106, meridionalis 106.
 Ectobia lapponica 106. Epacrambia thalassina 106. Ephemera vulgata 106,
 glaucops 106.
 Folicula auricularia 106, 175.
 Gampsocleis glabra 107. Gomphoceras antennatus 106, maculatus 106. Gryllus
 motauius atomarius 107. Gryllus desertus 107.
 Hemerobius nervosus 107. Hierodula Biró 109.
 Isopteryx apicalis 106.
 Labia minor 106. Labidura riparia 106. Lestes sponsa 106, barbara 106. Li-
 bella cancellata 106, coerulea 106, depressa 106, borealis 106.
 Limnophilus punctatissimus 107, vittatus 107, griseus 107, borealis
 107. Locusta vridissima 107, cantans 107.
 Mantis religiosa 106. Mesotethus grossus 106. Myrmeleon trigrammus 107, punc-
 tulatus 107. Mystacides pilosus 107.
 Nemobius Heydeni 107.
 Oecanthus pelluscens 107. Oedipoda coerulea 106.
 Pachytylus nigrofasciatus 106, migratorius 106. Panorpa communis 107. Pha-
 neroptera falcata 106. Phryganea grandis 107, varia 107. Platycleis grisea
 107. Platyphyma Giorna 106.
 Rhabdida ophiopsis 107.
 Sisyra fuscata 107. Stauronotus brevicollis 106. Stenobothrus crassipes 106,
 nigromaculatus 106, minimus 106, apricarius 106, rufipes 106, bicolor 106,
 pulvinatus 106, elegans 106, dorsatus 106. Sympycosa fusca 106.
 Taeniopteryx nebulosa 106. Tridactylus variegatus 107. Tryxalis nasuta 106.
 Xyphidium fuscum 106, dorsale 106.

g) Thysanura.

Anisosphaera problematica 153, 213.

Crustacea.

Alona intermedia 212.
 Branchipus diaphanus 212.
 Daphnia alpina 212. Diaptomus taticus 212.