БЕРЛОГИ В РАЙОНЕ АБАЛИГЕТ

И. Венкович

Главным результатом исследований является то, что удалось разбить на три пояса плоскость горы и часть, приходящуюся на север, с точки зрения образования берлог. № 1 самую плоскость горы с недостатком карстовых знаков. 2. Северную сторону свода, которая довольно-таки наклонно следует условия наклона стороны горы. Этот 2-х километровый пояс наполнен накоплениями водопоглощающими. Эти накопления образовались в местах перекрещиваний слоёв известкового камня и северозападно-южновосточными переломами. 3. Пояс, образововшийся у подножья стороны горы, где вода поглотителей воды, меняя направление в геологической водопоглощающей среде, проделывает сильную механическую работу и разрывая находящиеся рядом друг с другом грани, образовывает подземную сеть гомонтальных водотечений. Разрыв граней создал и образование и долины. Автором были проведены и опыты и исследования воды с целью определения химического характера воды и относит на основе полученных результатов источники в подножьи горы и воды, выходящие из подземной сети к категории спускающихся карстовых вод.

THE CAVES IN THE VICINITY OF ABALIGET

By I. Venkovits

The Author participated in the spelaeological expeditions organized in 1946 by the Hungarian Spelaeological Society and he dealt with the formation of the caves in the vicinity of Abaliget. He succeeded in clearing up that the caves were closely connected with the peculiar tectonics of the Mecsek Mountains. The researches demonstrate that the mountains have a NE-SW trend, as a result of the tectonics, since the morphological ridge of the mountains follows the direction of the axis of the Middle Triassic limestone strata folded in a flat arch. As a principal result of the research, it was possible to divide the ridge and the area N of it into three belts from the point of view of cave-formation: 1. The ridge itself without Karstic phenomena. 2. The N limb of the arch, steeply following the dip of the slope of the mountain, this belt of some 2 kms is full of swallowing dints: these dints were formed at the crossing of the limestone strata and the NW-SE directed transverse fractures. 3. The belt formed at the foot of the slope. Here the water of the swallow-holes changing its direction in the underground beds, displays a very considerable mechanical work and breaking in